



Document details






1 of 1

[↗ Export](#) [⬇ Download](#) [🖨 Print](#) [✉ E-mail](#) [📄 Save to PDF](#) [★ Add to List](#) [More... >](#)
[View at Publisher](#)

Materials Chemistry and Physics

Volume 256, 1 December 2020, Article number 123595

Removal of azo dyes in aqueous solutions using magnetized and chemically modified chitosan beads (Article)

Muedas-Taipe, G.^{a,b}  Maza Mejía, I.M.^{a,b}, Santillan, F.A.^b, Velásquez, C.J.^a, Asencios, Y.J.O.^{c,d}   ^aFacultad de Ingeniería y Arquitectura, Universidad de Lima, Av. Javier Prado Este 4600, Santiago de Surco, Lima, Peru^bLaboratorio de Investigación de Electroquímica Aplicada, Facultad de Ciencias, Universidad Nacional de Ingeniería, Av. Túpac Amaru 210, Rímac, Lima, Peru^cInstitute of Marine Sciences, Federal University of São Paulo (UNIFESP), Rua. Maria Máximo, 168, Santos, SP 11030-100, Brazil[View additional affiliations](#) 


Abstract

[View references \(55\)](#)

Azo dyes in wastewater coming from textile industry are detrimental, toxic, and affect the human health; therefore efficient wastewater treatments are needed. To contribute to the solution to this problem, in this paper materials based on chitosan beads are studied. Magnetized chitosan beads (MC), MC coated with tetraethyl orthosilicate TEOS (TMC) and MC modified with TEOS and ethylenediamine (ETMC) were synthesized and tested as adsorbents for the removal of two azo dyes: Cibacron Brilliant Yellow 3G-P (CBY) and Cibacron Brilliant Red 3B-A (CBR) in aqueous solutions. The materials were characterized by FTIR, VSM, Raman, SEM, EDX, TGA and XRD. During the adsorption of CBY and CBR dyes in aqueous solutions using the MC, TMC and ETMC beads, it was found that the maximum adsorption capacity (Q_m , $\text{mg}\cdot\text{g}^{-1}$) of the chitosan beads occurred at pH 2 for both azo dyes. The equilibrium experiments for adsorption of CBY fitted well with the Langmuir isotherm model, whereas the CBR adsorption fitted well with Freundlich isotherm model. The maximum adsorption capacity of the ETMC beads was $179.45 \text{ mg}\cdot\text{g}^{-1}$ for CBY, and $377.60 \text{ mg}\cdot\text{g}^{-1}$ for CBR. The adsorption kinetic data of CBY and CBR using the MC, TMC and ETMC beads were better adjusted by the pseudo-second-order kinetic model. The results of the competitive adsorption test for a binary mixture (ratio = 1:1 of CBY:CBR in the mixture) indicated that the ETMC beads recorded the best removal efficiency of the CBY dye (99.1%). Our results indicate, the ETMC material is a promising adsorbent for optimal removal of azo dyes in aqueous solutions. © 2020 Elsevier B.V.

Chemistry database information

Substances



Author keywords

[Adsorption](#) [Chitosan beads](#) [Cibacron brilliant red 3B-A](#) [Cibacron brilliant yellow 3G-P](#) [Ethylenediamine](#)
[Magnetite](#) [Tetraethyl orthosilicate](#)

Indexed keywords

Metrics  [View all metrics >](#)PlumX Metrics 

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)[Set citation feed >](#)

Related documents

Portable point-of-use photoelectrocatalytic device provides rapid water disinfection

Montenegro-Ayo, R. , Barrios, A.C. , Mondal, I. (2020) *Science of the Total Environment*

Doping TiO2 with CuSO4 enhances visible light photocatalytic activity for organic pollutant degradation

de Luna, M.D.G. , Garcia-Segura, S. , Mercado, C.H. (2020) *Environmental Science and Pollution Research*

Niobium oxide catalysts as emerging material for textile wastewater reuse: Photocatalytic decolorization of azo dyes

Dos Santos, A.J. , Batista, L.M.B. , Martínez-Huitle, C.A. (2019) *Catalysts*

[View all related documents based on references](#)

Find more related documents in Scopus based on:

[Authors >](#) [Keywords >](#)

Engineering controlled terms:

Adsorption

Azo dyes

Binary mixtures

Chitosan

Dyes

Isotherms

Textile industry

Wastewater treatment

Engineering uncontrolled terms

Adsorption capacities

Chemically modified chitosan

Competitive adsorption

Freundlich isotherm model

Langmuir isotherm models

Pseudo-second-order kinetic models

Removal efficiencies

Tetra-ethyl-ortho-silicate

Engineering main heading:

Stripping (dyes)

Funding details

Funding sponsor	Funding number	Acronym
Conselho Nacional de Desenvolvimento Científico e Tecnológico	4097/2016-3	CNPq
Fundaç�o de Amparo � Pesquisa do Estado de S�o Paulo See opportunities by FAPESP	2014/24940-5	FAPESP
	PI.56.004.2017	
Conselho Nacional de Desenvolvimento Científico e Tecnológico		CNPq
Comisi�n Sectorial de Investigaci�n Cient�fica		CSIC
Fundaç�o de Amparo � Pesquisa do Estado de S�o Paulo See opportunities by FAPESP		FAPESP

Funding text

This research was funded by the Instituto de Investigaci n Cient fica (IDIC) of the Universidad de Lima, Lima-Per  (Grant Number PI.56.004.2017). The technical support to the project was made by the Facultad de Ciencias of the Universidad Nacional de Ingenier a , Lima-Per . The Authors also thank to the S o Paulo Research Foundation (FAPESP) (Grant Number 2014/24940-5) and to the National Council for Scientific and Technological Development of Brazil (CNPq) (Grant Number: 4097/2016-3).

ISSN: 02540584
CODEN: MCHPD
Source Type: Journal
Original language: English

DOI: 10.1016/j.matchemphys.2020.123595
Document Type: Article
Publisher: Elsevier Ltd

References (55)

View in search results format >

☐ All

Export

Print

E-mail

Save to PDF

Create bibliography

☐ 1

Ali, H.
Biodegradation of synthetic dyes - A review

(2010) *Water, Air, and Soil Pollution*, 213 (1-4), pp. 251-273. Cited 290 times.
doi: 10.1007/s11270-010-0382-4

View at Publisher

-
- ☐ 2 Zhou, L., Jin, J., Liu, Z., Liang, X., Shang, C.
Adsorption of acid dyes from aqueous solutions by the ethylenediamine-modified magnetic chitosan nanoparticles
(2011) *Journal of Hazardous Materials*, 185 (2-3), pp. 1045-1052. Cited 198 times.
doi: 10.1016/j.jhazmat.2010.10.012
[View at Publisher](#)
-
- ☐ 3 Cho, D.-W., Jeon, B.-H., Chon, C.-M., Schwartz, F.W., Jeong, Y., Song, H.
Magnetic chitosan composite for adsorption of cationic and anionic dyes in aqueous solution
(2015) *Journal of Industrial and Engineering Chemistry*, 28, pp. 60-66. Cited 90 times.
<http://www.sciencedirect.com/science/journal/1226086X>
doi: 10.1016/j.jiec.2015.01.023
[View at Publisher](#)
-
- ☐ 4 Stingley, R.L., Zou, W., Heinze, T.M., Chen, H., Cerniglia, C.E.
Metabolism of azo dyes by human skin microbiota ([Open Access](#))
(2010) *Journal of Medical Microbiology*, 59 (1), pp. 108-114. Cited 56 times.
<http://jmm.sgmjournals.org/cgi/reprint/59/1/108>
doi: 10.1099/jmm.0.012617-0
[View at Publisher](#)
-
- ☐ 5 Joshi, M., Bansal, R., Purwar, R.
Colour removal from textile effluents
(2004) *Indian Journal of Fibre and Textile Research*, 29 (2), pp. 239-259. Cited 77 times.
-
- ☐ 6 Herrera-González, A.M., Caldera-Villalobos, M., Peláez-Cid, A.-A.
Adsorption of textile dyes using an activated carbon and crosslinked polyvinyl phosphonic acid composite
(2019) *Journal of Environmental Management*, 234, pp. 237-244. Cited 26 times.
<http://www.elsevier.com/inca/publications/store/6/2/2/8/7/1/index.htm>
doi: 10.1016/j.jenvman.2019.01.012
[View at Publisher](#)
-
- ☐ 7 Maderova, Z., Baldikova, E., Pospiskova, K., Safarik, I., Safarikova, M.
Removal of dyes by adsorption on magnetically modified activated sludge
(2016) *International Journal of Environmental Science and Technology*, 13 (7), pp. 1653-1664. Cited 25 times.
<http://www.springerlink.com/content/1735-1472>
doi: 10.1007/s13762-016-1001-8
[View at Publisher](#)
-
- ☐ 8 Millicent Mabel, M., Sundararaman, T.R., Parthasarathy, N., Rajkumar, J.
Chitin beads from peneaus sp. shells as a biosorbent for methylene blue dye removal ([Open Access](#))
(2019) *Polish Journal of Environmental Studies*, 28 (4), pp. 2253-2259. Cited 2 times.
<http://www.pjoes.com/pdf-90359-35989?filename=Chitin%20Beads%20from%20Peneaus.pdf>
doi: 10.15244/pjoes/90359
[View at Publisher](#)
-
- ☐ 9 Desbrières, J., Guibal, E.
Chitosan for wastewater treatment
(2018) *Polymer International*, 67 (1), pp. 7-14. Cited 40 times.
[http://onlinelibrary.wiley.com/journal/10.1002/\(ISSN\)1097-0126](http://onlinelibrary.wiley.com/journal/10.1002/(ISSN)1097-0126)
doi: 10.1002/pi.5464
[View at Publisher](#)
-

- 10 Reddy, D.H.K., Lee, S.-M.
Application of magnetic chitosan composites for the removal of toxic metal and dyes from aqueous solutions
(2013) *Advances in Colloid and Interface Science*, 201-202, pp. 68-93. Cited 380 times.
doi: 10.1016/j.cis.2013.10.002
[View at Publisher](#)
-
- 11 Zhu, H.-Y., Jiang, R., Xiao, L.
Adsorption of an anionic azo dye by chitosan/kaolin/ γ -Fe₂O₃ composites
(2010) *Applied Clay Science*, 48 (3), pp. 522-526. Cited 162 times.
doi: 10.1016/j.clay.2010.02.003
[View at Publisher](#)
-
- 12 Roh, H., Kim, Y., Kim, Y.K., Harbottle, D., Lee, J.W.
Amino-functionalized magnetic chitosan beads to enhance immobilization of potassium copper hexacyanoferrate for selective Cs⁺ removal and facile recovery ([Open Access](#))
(2019) *RSC Advances*, 9 (2), pp. 1106-1114. Cited 8 times.
<http://pubs.rsc.org/en/journals/journal/ra>
doi: 10.1039/c8ra09386e
[View at Publisher](#)
-
- 13 Ablouh, E., Hanani, Z., Eladlani, N., Rhazi, M., Taourirte, M.
(2019) *Sustain. Environ. Res.*, 29, pp. 29-35.
-
- 14 Osifo, P.O., Webster, A., van der Merwe, H., Neomagus, H.W.J.P., van der Gun, M.A., Grant, D.M.
The influence of the degree of cross-linking on the adsorption properties of chitosan beads
(2008) *Bioresource Technology*, 99 (15), pp. 7377-7382. Cited 76 times.
doi: 10.1016/j.biortech.2008.01.053
[View at Publisher](#)
-
- 15 Verbinnen, B., Block, C., Hannes, D., Lievens, P., Vacklavikova, M., Stefusova, K., Gallios, G., (...), Vandecasteele, C.
Removal of molybdate anions from water by adsorption on zeolite-supported magnetite
(2012) *Water Environment Research*, 84 (9), pp. 753-760. Cited 23 times.
<http://docserver.ingentaconnect.com/deliver/connect/wef/10614303/v84n9/s8.pdf?expires=1346196825&id=70225684&titleid=11548&accname=Elsevier+BV&checksum=8E2DB7390BE9D16419B096025DCD38E3>
doi: 10.2175/106143012X13373550427318
[View at Publisher](#)
-
- 16 Zhou, L., Liu, Z., Liu, J., Huang, Q.
Adsorption of Hg(II) from aqueous solution by ethylenediamine-modified magnetic crosslinking chitosan microspheres
(2010) *Desalination*, 258 (1-3), pp. 41-47. Cited 111 times.
doi: 10.1016/j.desal.2010.03.051
[View at Publisher](#)
-
- 17 Monteil, C., Bar, N., Bee, A., Villemin, D.
An efficient recyclable magnetic material for the selective removal of organic pollutants ([Open Access](#))
(2016) *Beilstein Journal of Nanotechnology*, 7 (1), pp. 1447-1453. Cited 5 times.
<http://www.beilstein-journals.org/bjnano/content/pdf/2190-4286-7-136.pdf>
doi: 10.3762/bjnano.7.136
[View at Publisher](#)
-

- 18 Xu, B., Zheng, H., Zhou, H., Wang, Y., Luo, K., Zhao, C., Peng, Y., (...), Zheng, X.
Adsorptive removal of anionic dyes by chitosan-based magnetic microspheres with pH-responsive properties
(2018) *Journal of Molecular Liquids*, 256, pp. 424-432. Cited 17 times.
doi: 10.1016/j.molliq.2018.02.061
[View at Publisher](#)
-
- 19 Chethan, P.D., Vishalakshi, B.
Synthesis of ethylenediamine modified chitosan microspheres for removal of divalent and hexavalent ions
(2015) *International Journal of Biological Macromolecules*, 75, pp. 179-185. Cited 26 times.
www.elsevier.com/locate/ijbiomac
doi: 10.1016/j.ijbiomac.2015.01.032
[View at Publisher](#)
-
- 20 Dong, L., Wen, C., Junxia, Y., Yigang, D.
Polyamine chitosan adsorbent for the enhanced adsorption of anionic dyes from water
(2017) *Journal of Dispersion Science and Technology*, 38 (12), pp. 1832-1841. Cited 8 times.
www.tandf.co.uk/journals/titles/01932691.asp
doi: 10.1080/01932691.2017.1288130
[View at Publisher](#)
-
- 21 Dey, S.C., Moztahida, M., Sarker, M., Ashaduzzaman, M., Shamsuddin, S.M.
(2019) *J. Compos. Sci.*, 3, pp. 39-50.
-
- 22 Picasso, G., Vega, J., Uzuriaga, R., Ruiz, G.
(2012) *Rev. Soc. Quim. Peru.*, 78, pp. 170-182. Cited 2 times.
-
- 23 Yang, H.-M., Park, C.W., Bae, P.K., Ahn, T., Seo, B.-K., Chung, B.H., Kim, J.-D.
Folate-conjugated cross-linked magnetic nanoparticles as potential magnetic resonance probes for in vivo cancer imaging
(2013) *Journal of Materials Chemistry B*, 1 (24), pp. 3035-3043. Cited 31 times.
<http://pubs.rsc.org/en/journals/journalissues/tb>
doi: 10.1039/c3tb20295j
[View at Publisher](#)
-
- 24 Petcharoen, K., Sirivat, A.
Synthesis and characterization of magnetite nanoparticles via the chemical co-precipitation method
(2012) *Materials Science and Engineering B: Solid-State Materials for Advanced Technology*, 177 (5), pp. 421-427. Cited 333 times.
doi: 10.1016/j.mseb.2012.01.003
[View at Publisher](#)
-
- 25 Rubio, F., Rubio, J., Oteo, J.L.
A FT-IR study of the hydrolysis of Tetraethylorthosilicate (TEOS)
(1998) *Spectroscopy Letters*, 31 (1), pp. 199-219. Cited 164 times.
<http://www.tandfonline.com/loi/lstl20>
doi: 10.1080/00387019808006772
[View at Publisher](#)
-

- ☐ 26 Slavov, L., Abrashev, M.V., Merodiiska, T., Gelev, Ch., Vandenberghe, R.E., Markova-Deneva, I., Nedkov, I.
Raman spectroscopy investigation of magnetite nanoparticles in ferrofluids
(2010) *Journal of Magnetism and Magnetic Materials*, 322 (14), pp. 1904-1911. Cited 125 times.
doi: 10.1016/j.jmmm.2010.01.005
[View at Publisher](#)
-
- ☐ 27 Majumder, S., Dey, S., Bagani, K., Dey, S.K., Banerjee, S., Kumar, S.
A comparative study on the structural, optical and magnetic properties of Fe₃O₄ and Fe₃O₄@SiO₂ core-shell microspheres along with an assessment of their potentiality as electrochemical double layer capacitors
(2015) *Dalton Transactions*, 44 (16), pp. 7190-7202. Cited 48 times.
<http://pubs.rsc.org/en/journals/journal/dt>
doi: 10.1039/c4dt02551b
[View at Publisher](#)
-
- ☐ 28 Lopez, J.A., González, F., Bonilla, F.A., Zambrano, G., Gómez, M.E.
Synthesis and characterization of Fe₃O₄ magnetic nanofluid
(2010) *Revista Latinoamericana de Metalurgia y Materiales*, 30 (1), pp. 60-66. Cited 133 times.
<http://www.rlmm.org/ojs/index.php/rlmm/article/download/60/41>
-
- ☐ 29 Ling, D., Lee, N., Hyeon, T.
Chemical synthesis and assembly of uniformly sized iron oxide nanoparticles for medical applications
(2015) *Accounts of Chemical Research*, 48 (5), pp. 1276-1285. Cited 269 times.
<http://pubs.acs.org/journal/achre4>
doi: 10.1021/acs.accounts.5b00038
[View at Publisher](#)
-
- ☐ 30 Ahmadzadeh, M., Romero, C., McCloy, J.
Magnetic analysis of commercial hematite, magnetite, and their mixtures ([Open Access](#))
(2018) *AIP Advances*, 8 (5), art. no. 056807. Cited 26 times.
<http://scitation.aip.org/content/aip/journal/adva>
doi: 10.1063/1.5006474
[View at Publisher](#)
-
- ☐ 31 Ma, J., Wang, L., Wu, Y., Dong, X., Ma, Q., Qiao, C., Zhang, Q., (...), Zhang, J.
Facile synthesis of Fe₃O₄ nanoparticles with a high specific surface area ([Open Access](#))
(2014) *Materials Transactions*, 55 (12), pp. 1900-1902. Cited 12 times.
<http://www.jstage.jst.go.jp/browse/matertrans>
doi: 10.2320/matertrans.M2014184
[View at Publisher](#)
-
- ☐ 32 Zhu, M., Diao, G.
Synthesis of porous Fe₃O₄ nanospheres and its application for the catalytic degradation of xylenol orange
(2011) *Journal of Physical Chemistry C*, 115 (39), pp. 18923-18934. Cited 230 times.
doi: 10.1021/jp200418j
[View at Publisher](#)
-

- 33 Carturan, G., Dal Toso, R., Boninsegna, S., Dal Monte, R.
Encapsulation of functional cells by sol-gel silica: Actual progress and perspectives for cell therapy

(2004) *Journal of Materials Chemistry*, 14 (14), pp. 2087-2098. Cited 184 times.

<http://www.rsc.org/Publishing/Journals/jm/index.asp>

doi: 10.1039/b401450b

[View at Publisher](#)

- 34 Cao, C., Xiao, L., Chen, C., Shi, X., Cao, Q., Gao, L.
In situ preparation of magnetic Fe₃O₄/chitosan nanoparticles via a novel reduction-precipitation method and their application in adsorption of reactive azo dye

(2014) *Powder Technology*, 260, pp. 90-97. Cited 153 times.

www.elsevier.com/locate/powtec

doi: 10.1016/j.powtec.2014.03.025

[View at Publisher](#)

- 35 Juang, R.-S., Shao, H.-J.
Effect of pH on competitive adsorption of Cu(II), Ni(II), and Zn(II) from water onto chitosan beads

(2002) *Adsorption*, 8 (1), pp. 71-78. Cited 100 times.

doi: 10.1023/A:1015222607996

[View at Publisher](#)

- 36 Namdeo, M., Mathur, A.
(2018) *J. Adv. Chem. Eng.*, 8, pp. 189-194.

- 37 Langmuir, I.
The adsorption of gases on plane surfaces of glass, mica and platinum
- (1918) *Journal of the American Chemical Society*, 40 (9), pp. 1361-1403. Cited 13364 times.
- doi: 10.1021/ja02242a004

[View at Publisher](#)

- 38 Freundlich, H.M.F.
(1906) *Z. Phys. Chem.*, A57 (38), pp. 358-471. Cited 375 times.

- 39 Sheshmani, S., Mashhadi, S.
Potential of magnetite reduced graphene oxide/chitosan nanocomposite as biosorbent for the removal of dyes from aqueous solutions

(2018) *Polymer Composites*, 39, pp. E457-E462. Cited 3 times.

[http://onlinelibrary.wiley.com/journal/10.1002/\(ISSN\)1548-0569](http://onlinelibrary.wiley.com/journal/10.1002/(ISSN)1548-0569)

doi: 10.1002/pc.24608

[View at Publisher](#)

- 40 Das, D., Sureshkumar, M.K., Radhakrishnan, K., Nuwar, J., Pillai, C.G.S.
Adsorptive removal of Cr(III) from aqueous solution using tripolyphosphate cross-linked chitosan beads

(2011) *Journal of Radioanalytical and Nuclear Chemistry*, 289 (1), pp. 275-285. Cited 20 times.

doi: 10.1007/s10967-011-1074-2

[View at Publisher](#)

- ☐ 41 Senthil Kumar, P., Ramalingam, S., Senthamarai, C., Niranjanaa, M., Vijayalakshmi, P., Sivanesan, S.
Adsorption of dye from aqueous solution by cashew nut shell: Studies on equilibrium isotherm, kinetics and thermodynamics of interactions
(2010) *Desalination*, 261 (1-2), pp. 52-60. Cited 489 times.
<http://www.sciencedirect.com>
doi: 10.1016/j.desal.2010.05.032
[View at Publisher](#)
-
- ☐ 42 Aljeboree, A.M., Alshirifi, A.N., Alkaim, A.F.
Kinetics and equilibrium study for the adsorption of textile dyes on coconut shell activated carbon ([Open Access](#))
(2017) *Arabian Journal of Chemistry*, 10, pp. S3381-S3393. Cited 317 times.
<http://colleges.ksu.edu.sa/Arabic%20Colleges/CollegeOfScience/ChemicalDept/AJC/default.aspx> (ScienceDirect)
<http://www.sciencedirect.com/science/journal/18785352>
doi: 10.1016/j.arabjc.2014.01.020
[View at Publisher](#)
-
- ☐ 43 Al-Degs, Y.S., El-Barghouthi, M.I., El-Sheikh, A.H., Walker, G.M.
Effect of solution pH, ionic strength, and temperature on adsorption behavior of reactive dyes on activated carbon
(2008) *Dyes and Pigments*, 77 (1), pp. 16-23. Cited 782 times.
doi: 10.1016/j.dyepig.2007.03.001
[View at Publisher](#)
-
- ☐ 44 Won, S.W., Yun, Y.-S.
Biosorptive removal of Reactive Yellow 2 using waste biomass from lysine fermentation process
(2008) *Dyes and Pigments*, 76 (2), pp. 502-507. Cited 36 times.
doi: 10.1016/j.dyepig.2006.10.011
[View at Publisher](#)
-
- ☐ 45 Fafous, I.I., Farha, N.A.
(2012) *Int. J. Res. Appl. Sci. Eng. Technol.*, 6, pp. 908-914. Cited 5 times.
-
- ☐ 46 Rovani, S., Fernandes, A.N., Prola, L.D.T., Lima, E.C., Santos, W.O., Adebayo, M.A.
REMOVAL OF CIBACRON BRILLIANT YELLOW 3G-P DYE FROM AQUEOUS SOLUTIONS BY BRAZILIAN PEATS AS BIOSORBENTS
(2014) *Chemical Engineering Communications*, 201 (11), pp. 1431-1458. Cited 10 times.
www.tandf.co.uk/journals/titles/00986445.asp
doi: 10.1080/00986445.2013.816954
[View at Publisher](#)
-
- ☐ 47 Nawi, M.A., Sabar, S., Jawad, A.H., Sheilatina, Ngah, W.S.W.
Adsorption of Reactive Red 4 by immobilized chitosan on glass plates: Towards the design of immobilized TiO₂-chitosan synergistic photocatalyst-adsorption bilayer system
(2010) *Biochemical Engineering Journal*, 49 (3), pp. 317-325. Cited 76 times.
doi: 10.1016/j.bej.2010.01.006
[View at Publisher](#)
-
- ☐ 48 Cui, L., Wu, G., Deng, K., Sung, W.W., Yun, Y.-S.
Application of RR 4 biosorption models
(2006) *Fresenius Environmental Bulletin*, 15 (11), pp. 1442-1446. Cited 5 times.
-

- 49 Won, S.W., Wu, G., Ma, H., Liu, Q., Yan, Y., Cui, L., Liu, C., (...), Yun, Y.-S.
Adsorption performance and mechanism in binding of Reactive Red 4 by coke waste
(2006) *Journal of Hazardous Materials*, 138 (2), pp. 370-377. Cited 40 times.
doi: 10.1016/j.jhazmat.2006.05.060
[View at Publisher](#)
-
- 50 Lagergren, S.
(1898) *Kungl. Svenska Vetenskapsakademiens Handlingar*, 24, pp. 1-39. Cited 9130 times.
-
- 51 Ho, Y.S., McKay, G.
Sorption of dye from aqueous solution by peat
(1998) *Chemical Engineering Journal*, 70 (2), pp. 115-124. Cited 2749 times.
www.elsevier.com/inca/publications/store/6/0/1/2/7/3/index.htm
doi: 10.1016/S1385-8947(98)00076-X
[View at Publisher](#)
-
- 52 AZLAN, K., WAN SAIME, W.N., LAI KEN, L.
Chitosan and chemically modified chitosan beads for acid dyes sorption
(2009) *Journal of Environmental Sciences*, 21 (3), pp. 296-302. Cited 156 times.
doi: 10.1016/S1001-0742(08)62267-6
[View at Publisher](#)
-
- 53 Hosseini, F., Sadighian, S., Hosseini-Monfared, H., Mahmoodi, N.M.
Dye removal and kinetics of adsorption by magnetic chitosan nanoparticles
(2016) *Desalination and Water Treatment*, 57 (51), pp. 24378-24386. Cited 22 times.
<http://www.deswater.com/readfulltextopenaccess.php?id=RFdUX2FydGljbGVzL3ZvbF81N181MV9wYXBlcnMvNTdfNTFfMjAxNi8yNDM3OC5wZGY=>
doi: 10.1080/19443994.2016.1143879
[View at Publisher](#)
-
- 54 Jiang, R., Fu, Y.-Q., Zhu, H.-Y., Yao, J., Xiao, L.
Removal of methyl orange from aqueous solutions by magnetic maghemite/chitosan nanocomposite films: Adsorption kinetics and equilibrium
(2012) *Journal of Applied Polymer Science*, 125 (SUPPL. 2), pp. E540-E549. Cited 93 times.
doi: 10.1002/app.37003
[View at Publisher](#)
-
- 55 Mertz, J.L., Fard, Z.H., Malliakas, C.D., Manos, M.J., Kanatzidis, M.G.
Selective removal of Cs⁺, Sr²⁺, and Ni²⁺ by K_{2x}Mg_xSn_{3-x}S₆ (x = 0.5-1) (KMS-2) relevant to nuclear waste remediation
(2013) *Chemistry of Materials*, 25 (10), pp. 2116-2127. Cited 138 times.
doi: 10.1021/cm400699r
[View at Publisher](#)
-

Asencios, Y.J.O.; Institute of Marine Sciences, Federal University of São Paulo (UNIFESP), Rua. Maria Máximo, 168, Santos, SP, Brazil; email: yan.jesus@unifesp.br

Muedas-Taípe, G.; Facultad de Ingeniería y Arquitectura, Universidad de Lima, Av. Javier Prado Este 4600, Santiago de Surco, Lima, Peru; email: gmuedas@ulima.edu.pe

© Copyright 2020 Elsevier B.V., All rights reserved.

About Scopus

- What is Scopus
- Content coverage
- Scopus blog
- Scopus API
- Privacy matters

Language

- 日本語に切り替える
- 切换到简体中文
- 切换到繁體中文
- Русский язык

Customer Service

- Help
- Contact us

ELSEVIER

[Terms and conditions ↗](#) [Privacy policy ↗](#)

Copyright © Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.
We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

